



# BLUE DEATH

## Drilling Specifications

### Pin Position

|   |   |   |                                       |
|---|---|---|---------------------------------------|
| <p>The 12:00 pin, relative to the CG, makes this ball driller friendly for right &amp; left-hand bowlers.</p> | <p>Turning the pin towards 3 O'clock, relative to the CG, will decrease length.</p> | <p>Turning the pin towards 9 O'clock, relative to the CG, will increase length.</p> | <p>Pin &amp; CG distance from PAP</p> |
|---|---|---|---------------------------------------|

### Drilling Recommendations

|   |   |  |   |
|---|---|--|---|
| <p><b>Label 1:30 Pin</b></p> <p>Flare 8      Back-end 6</p> | <p><b>Negative Pin Label</b></p> <p>Flare 2      Back-end 6</p> | <p><b>Label Stacked</b></p> <p>Flare 7      Back-end 8</p> | <p><b>CG Out Leverage</b></p> <p>Flare 8      Back-end 9</p>  |
| <p><b>Modified Rico</b></p> <p>Flare 7      Back-end 7</p>  | <p><b>Pro Pin CG Strong</b></p> <p>Flare 3      Back-end 7</p>  | <p><b>Full Roller</b></p> <p>Flare 8      Back-end 8</p>   | <p><b>Notes</b></p> <ol style="list-style-type: none"> <li>1. Pos. side, finger, &amp; top wt., increase length and back-end.</li> <li>2. Neg. side, thumb, &amp; bottom, decrease length and back-end.</li> <li>3. Axis holes decrease flare and back-end reaction.</li> <li>4. Pins closer in and under fingers decrease length.</li> <li>5. Pin-outs 3+\" and over fingers increase length and flip.</li> <li>6. If ending center of gravity is on your pin, CG or on the same rotational plane as those, reaction is enhanced.</li> </ol> |